



JC INMAR
INFLATABLE BOATS®

MEHLER
WELDED SEAMS



PROFESSIONAL SERIES
MEHLER ROLL-UP MODELS

INMARINFLATABLES.COM



HEAVY DUTY (WELDED SEAMS)

High heat and tropical areas are the harshest on synthetic material. We frequently encounter problems with boats that are kept in areas with high humidity levels and exposure to high UV rays. Over time, the heat and humidity will put the glue to the test which will result in the seams losing their adhesion. For synthetic materials that will be exposed to high heat levels and UV rays, we recommend welded seams.

MODELS

380 (12'5")
6 Passengers / 1,750 lbs



PATROL - GREY (PT)

430 (14'0")
8 Passengers / 2,395 lbs.



SEARCH & RESCUE - RED (SR)

470 (15'5")
10 Passengers / 2,750 lbs.




MILITARY - BLACK (MIL)



FABRIC

Sea water is very corrosive to any material it comes in contact with, as are direct sunlight and harsh weather. Mehler thermal welded seams manufacturing process gives it extreme weather, UV, and ozone resistance, while maintaining the boat pliable and in great condition.

Because of its higher heat thermal welding has been shown to be a strong, long lasting durable adhesion process, perfect for higher heat and humid climates.





FEATURES



INCLUDED ACCESSORIES

- Foot pump
- Two paddles (alum. shaft, plastic blade)
- Repair kit
- Storage bag with handles

OPTIONAL ACCESSORIES



Quick inflation system



SCBA Adaptor



High flow scuppers



Bow bag





6 gl fuel bladder



Performance tubes

SPECS Mehler Series

MIL MILITARY **PT** PATROL **SR** SEARCH & RESCUE



SPECIFICATIONS	380-MIL/PT/SR	430-MIL/PT/SR	470-MIL/PT/SR
Length	12' 5"	14' 0"	15' 5"
Beam	6' 5"	6' 5"	6' 5"
Weight w/ floor	220 lbs	285 lbs	307 lbs
Weight capacity	6 persons (1,750 lbs)	8 persons (2,395 lbs)	10 persons (2,750 lbs)
Max HP / Weight	30 HP / 175 lbs	40 HP / 245 lbs	50 HP / 250 lbs
Recommended HP	20" (Long shaft)	20" (Long shaft)	20" (Long shaft)
Tube diameter	20" (Separate air chambers 4 + 1)	20" (Separate air chambers 5 + 1)	20" (Separate air chambers 5 + 1)
Fabric	Mehler 1.2mm (1450 dtx)	Mehler 1.2mm (1450 dtx)	Mehler 1.2mm (1450 dtx)
Floor Type	3 years recreational / 1 year commercial	3 years recreational / 1 year commercial	3 years recreational / 1 year commercial
Available Colors	Aluminum sectional floor	Aluminum sectional floor	Aluminum sectional floor
Factory warranty	<input type="radio"/> Black (MIL) <input type="radio"/> Grey (PT) <input checked="" type="radio"/> Red (SR)	<input type="radio"/> Black (MIL) <input type="radio"/> Grey (PT) <input checked="" type="radio"/> Red (SR)	<input type="radio"/> Black (MIL) <input type="radio"/> Grey (PT) <input checked="" type="radio"/> Red (SR)

POWERED BY
EVINRUDE

RESCUE PRO VERSION

Jet Drive



STANDERD VERSION

Propeller



*Mehler models require 20" transom

INMAR
INFLATABLE BOATS.

(619) 346-4495

San Diego, CA 92154

sales@inmarinflatables.com

INMARINFLATABLES.COM