



**IC INMAR**  
P R O D U C T S

 *INFLATABLE RESCUE EQUIPMENT*





## RESCUE BOARD

**Length:** 10'6" | **Board Weight:** 24.5 Lbs.  
**Max Stretcher Capacity:** 375 Lbs.  
**Max Flotation Capacity:** 275 Lbs.



### BOARD INCLUDED ACCESSORIES

- 38" Rescue Tube
- Quick Inflation System
- 50 ft Safety Rope
- Carry Bag
- Pressure Pump

## RESCUE RAFT

**Length:** 14'0" | **Width:** 6'5"  
**Weight Capacity:** 6 persons / 2,250 lbs.



### RAFT INCLUDED ACCESSORIES

- Red 100 ft rescue line (2)
- Carry Bag
- Foot pump (2)

## DIVE & RESCUE RIBS

INMAR commercial series RIBs are fully equipped to hit the water from the factory.

This versatile utility work boats comes fully equipped for light commercial duty.

INMAR RIB's are delivered from the factory turn-key with all the necessary features for any situation ahead.



### 600R-DR

**Length:** 20' 2"  
**Hull weight:** 825 lbs.  
**Max HP:** 150 HP



### 520R-DR

**Length:** 17' 5" | **Hull weight:** 589 lbs. | **Max HP:** 75 HP



### 470R-DR

**Length:** 15' 5" | **Hull weight:** 535 lbs. | **Max HP:** 60 HP



### 420R-DR

**Length:** 13' 6" | **Hull weight:** 185 lbs. | **Max HP:** 40 HP

# SEARCH & RESCUE



\*380-SR SHOWN W/ ALUMINUM FLOOR

## BOAT FABRIC OPTIONS

**HYPERTEX**

**LIGHT DUTY**

- Hand glued seams
- Synthetic Material
- Light to Moderate climates

**MEHLER  
TEX·NOLOGIES**

**HEAVY DUTY**

- Welded seams
- Synthetic Material
- Moderate to Tropical climates

**ORCA**

**MILITARY DUTY**

- Hand glued seams
- Rubber based material
- Extreme climates

### OPTIONAL ACCESSORIES



Quick inflation system



High flow scuppers



6 gl fuel bladder

### INCLUDED ACCESSORIES

- Foot pump w/gauge
- Repair kit
- Two paddles (alum. shaft, plastic blade)
- Storage bow bag
- Boat carry bag with handles

### HONDA GENERATORS

Super-quiet industrial performance with GFCI protection, eliminating electrical back feed. Eco-Throttle™. Oil Alert®.



### EVINRUDE - JET

Great choice for First Responders due to shallow water capability, maneuverability, reduced risk of injury to people in the water during rescue and recovery efforts.





# SPECS

## RESCUE INFLATABLES EQUIPMENT



### SR SEARCH & RESCUE / ALUMINUM FLOOR MODELS

Specifications	380-MIL /PT/SR	430-MIL /PT/SR	470-MIL /PT/SR	530-MIL /PT/SR
<b>Length</b>	12' 5"	14' 0"	15' 5"	17' 5"
<b>Beam</b>	6' 0"	6' 5"	6' 8"	6' 8"
<b>Hull Weight</b>	216 lbs	253 lbs	275 lbs	325 lbs
<b>Capacity</b>	6 persons (1,720 lbs)	8 persons (2,395 lbs)	10 persons (2,640 lbs)	12 persons (2,980 lbs)
<b>Max Motor Rating</b>	30 hp (145 lb)	40 hp (225 lb)	50 hp (235 lb)	60 hp (250 lb)
<b>Engine Shaft Length</b>	15" (Short shaft)	15" (Short shaft)	20" (Long shaft)	20" (Long shaft)
<b>Tube Diameter</b>	18" (Separate air chambers 5 + 1)	20" (Separate air chambers 6 + 1)	20" (Separate air chambers 6 + 1)	22" (Separate air chambers 6 + 1)
<b>Fabric</b>	Hypertex, Polyester, 1.5mm coated material	Hypertex, Polyester, 1.5mm coated material	Hypertex, Polyester, 1.5mm coated material	Hypertex, Polyester, 1.5mm coated material
<b>Factory Warranty</b>	3 Years recreational, 1 year commercial	3 Years recreational / 1 year commercial	3 Years recreational / 1 year commercial	3 Years recreational / 1 year commercial
<b>Floor Type</b>	Aluminum sectional floor	Aluminum sectional floor	Aluminum sectional floor	Aluminum sectional floor



### SR SEARCH & RESCUE / RAPID RESPONSE MODELS

Specifications	380-MIL /PT/SR	430-MIL /PT/SR
<b>Length</b>	12' 5"	14' 0"
<b>Beam</b>	6' 0"	6' 5"
<b>Hull Weight</b>	180 lbs	193 lbs
<b>Capacity</b>	6 persons (1,720 lbs)	8 persons (2,395 lbs)
<b>Max Motor Rating</b>	20 hp (125 lb)	30 hp (165 lb)
<b>Engine Shaft Length</b>	15" (Short shaft)	15" (Short shaft)
<b>Tube Diameter</b>	18" (Separate air chambers 5 + 2)	20" (Separate air chambers 6 + 2)
<b>Fabric</b>	Hypertex, Polyester, 1.5mm coated material	Hypertex, Polyester, 1.5mm coated material
<b>Factory Warranty</b>	3 Years recreational, 1 year commercial	3 Years recreational / 1 year commercial
<b>Floor Types</b>	Roll-up (Rapid deploy)	Roll-up (Rapid deploy)



### RB RESCUE BOARD

<b>Length:</b> 10'6" (320 cm)
<b>Width:</b> 29.5" (75 cm)
<b>Thickness:</b> 5.875" (14.9 cm)
<b>Board Weight:</b> 24.5 Lbs.
<b>Max Stretcher Capacity:</b> 375 Lbs.
<b>Max Flotation Capacity:</b> 275 Lbs.



### RR RESCUE RAFT

<b>Length:</b> 14'0"
<b>Width:</b> 6'5"
<b>Weight Capacity:</b> 6 persons / 2,250 lbs.
<b>Hull Weight:</b> 160 lbs.
<b>Air Chambers:</b> 4 + floor
<b>Fabric:</b> Hypertex, polyester 1.5 mm. dual coated material
<b>Factory Warranty:</b> 3 years recreational 1 year commercial



### DR DIVE & RESCUE (RIB)

Specifications	420R	470R	520R	600R
<b>Length:</b>	13' 6"	15' 5"	17' 5"	20' 2"
<b>Beam:</b>	6' 3"	6' 8"	6' 8"	8' 6"
<b>Hull weight:</b>	185 lbs. (hull only)	535 lbs. (hull only)	589 lbs. (hull only)	825 lbs. (hull only)
<b>Weight capacity:</b>	8 persons (1,850 lbs.)	8 persons (2,650 lbs.)	8 persons (2,850 lbs.)	10 persons (3,898 lbs.)
<b>Max HP:</b>	40 HP / Long shaft	60 HP / Long shaft	75 HP / Long shaft	150 HP / Long shaft
<b>Tube diameter:</b>	18" (5 chambers)	20" (5 chambers)	20" (6 chambers)	22" (6 chambers)
<b>Fabric:</b>	Hypalon (Orca 820) dual coated material	Hypalon (Orca 820) dual coated material	Hypalon (Orca 820) dual coated material	Hypalon (Orca 820) dual coated material
<b>Factory warranty:</b>	5 years recreational / 2 year commercial	5 years recreational / 2 year commercial	5 years recreational / 2 year commercial	5 years recreational / 2 year commercial

**INMAR**  
PRODUCTS

(619) 346-4495

San Diego, CA 92154  
sales@inmarinflatables.com

**INMARINFLATABLES.COM**