






DFR

INMARBOATS.COM

ORCA / *MILITARY DUTY*

We have chosen only the best materials in the market for INMAR inflatable boats. Orca's Hypalon is produced in France and is today's leader in the military world for the construction of inflatable boats. They have been proven for years to stand up again and again. Orca offers a 10 year manufacturer's warranty against delimitation and manufacturer defects. Hypalon material uses a different glue and process type that is not easily affected by extreme climates.




FABRIC

Sea water is very corrosive to any material it comes in contact with, as are direct sunlight and harsh weather. Hypalon manufacturing process gives it extreme weather, UV, and ozone resistance, while maintaining the boat pliable and in great condition.

Because of its qualities Hypalon has been used in inflatable military craft for decades, and have shown Hypalon to be a strong, long lasting rubber material, perfect for several commercial, military, and recreational uses.

ORCA / MILITARY DUTY

150° C



200





OPTIONAL ACCESSORIES













Quick inflation system

SCBA Adaptor

High flow scuppers

Bow bag


9 gl fuel bladder

Performance tubes

MIL MILITARY PI		and the second	그는 그 것은 것은 것 것 같아요. 것 같아요. 것 같아요.
	PATROL SR SEARCH & RESCUE		
ser tennes - Sa			
			NO SAMPLE MARKING STATISTICS
SPECIFICATIONS	380-MIL/PT/SR-HYP	430-MIL/PT/SR-HYP	470-MIL/PT/SR-HYP
	380-MIL/PT/SR-HYP 12'5"	430-MIL/PT/SR-HYP 14' 0"	470-MIL/PT/SR-HYP 15' 5"
Length			A THE REPORT OF A DESCRIPTION OF A DESCR
Length Beam	12'5"	14' 0"	15' 5"
Length Beam Weight w/ floor	12' <i>5</i> " 6' 5"	14' 0" 6' 5"	15' 5" 6' 5"
Length Beam Weight w/ floor Weight capacity	12' 5" 6' 5" 225 lbs	14' 0" 6' 5" 290 lbs	15' 5" 6' 5" 310 lbs
Length Beam Weight w/ floor Weight capacity Max HP / Weight	12' 5" 6' 5" 225 lbs 6 persons (1,750 lbs) 30 HP / 175 lbs	14' 0" 6' 5" 290 lbs 8 persons (2,395 lbs)	15' 5" 6' 5" 310 lbs 10 persons (2,750 lbs)
Length Beam Weight w/ floor Weight capacity Max HP / Weight Transom size	12' 5" 6' 5" 225 lbs 6 persons (1,750 lbs)	14' 0" 6' 5" 290 lbs 8 persons (2,395 lbs) 40 HP / 245 lbs 15" (Short shaft) or 20" (Long shaft)	15' 5" 6' 5" 310 lbs 10 persons (2,750 lbs) 50 HP / 250 lbs 20" (Long shaft)
Length Beam Weight w/ floor Weight capacity Max HP / Weight Transom size Tube diameter	12' 5" 6' 5" 225 lbs 6 persons (1,750 lbs) 30 HP / 175 lbs 15" (Short shaft) or 20" (Long shaft) 20" (Separate air chambers 4 + 1)	14' 0" 6' 5" 290 lbs 8 persons (2,395 lbs) 40 HP / 245 lbs 15" (Short shaft) or 20" (Long shaft) 20" (Separate air chambers 5 + 1)	15' 5" 6' 5" 310 lbs 10 persons (2,750 lbs) 50 HP / 250 lbs 20" (Long shaft) 20" (Separate air chambers 5 + 1)
Length Beam Weight w/ floor Weight capacity Max HP / Weight Transom size Tube diameter Fabric	12' 5" 6' 5" 225 lbs 6 persons (1,750 lbs) 30 HP / 175 lbs 15" (Short shaft) or 20" (Long shaft)	14' 0" 6' 5" 290 lbs 8 persons (2,395 lbs) 40 HP / 245 lbs 15" (Short shaft) or 20" (Long shaft) 20" (Separate air chambers 5 + 1) Hypalon (CSM), Military grade	15' 5" 6' 5" 310 lbs 10 persons (2,750 lbs) 50 HP / 250 lbs 20" (Long shaft) 20" (Separate air chambers 5 + 1) Hypalon (CSM), Military grade
SPECIFICATIONS Length Beam Weight w/ floor Weight capacity Max HP / Weight Transom size Tube diameter Fabric Floor Type Available Colors	12' 5" 6' 5" 225 lbs 6 persons (1,750 lbs) 30 HP / 175 lbs 15" (Short shaft) or 20" (Long shaft) 20" (Separate air chambers 4 + 1) Hypalon (CSM), Military grade	14' 0" 6' 5" 290 lbs 8 persons (2,395 lbs) 40 HP / 245 lbs 15" (Short shaft) or 20" (Long shaft) 20" (Separate air chambers 5 + 1)	15' 5" 6' 5" 310 lbs 10 persons (2,750 lbs) 50 HP / 250 lbs 20" (Long shaft) 20" (Separate air chambers 5 + 1)



ł	7		
	0	0	
1	0	-D	
	0	Ð	
	0	Ð	
A	1		



SPECIFICATIONS	380-MIL/PT/SR-L HYP	430-MIL/PT/SR-L HYP	530-MIL/PT/SR
Length	12' 5"	14'0"	17' 5"
Beam	6' 5"	6' 5"	7' 2"
Weight w/ floor	185 lbs	265 lbs	348 lbs
Weight capacity	6 persons (1,750 lbs)	8 persons (2,395 lbs)	12 persons (2,895 lbs)
Max HP / Weight	30 HP / 175 lbs	40 HP / 245 lbs	60 HP / 250 lbs
Transom size	15" (Short shaft) or 20" (Long shaft)	15″ (Short shaft) or 20" (Long shaft)	20" (Long shaft)
Tube diameter	20" (Separate air chambers 4 + 1)	20" (Separate air chambers 5 + 1)	20" (Separate air chambers 5 + 1)
Fabric	Hypalon (CSM), Military grade	Hypalon (CSM), Military grade	Hypalon (CSM), Military grade
Floor Type	Air floor	Air floor	Aluminum sectional floor
Available Colors	🔵 Black (MIL) 🔵 Grey (PT) 🛑 Red (SR)	🔵 Black (MIL) 🛛 Grey (PT) 🛑 Red (SR)	Black (MIL) OGrey (PT) ORed (SR)
Factory warranty	5 years recreational / 2 year commercial	5 years recreational / 2 year commercial	5 years recreational / 2 year commercial

10 INFLATABLE BOATS. (800) 729-1665 San Diego, CA 92154 sales@inmarboats.com INMARIBOATS.COM