

MODEL COLORS



SPECIFICATIONS (Standard configuration shown)

Weight capacity: 12 persons in Class "B" (4,450 lbs)
 Max HP: 300 hp (Single engin XXL / Twin XL)
 Dry weight: 3,200 lbs (Shown configuration)
 Ocean rating: Category "B"/"C"
 Fuel capacity: 80 gls
 Hull: Fiberglass / Fabric: Hypalon
 Air chambers: 7
 Factory warranty: 2 year commercial

STANDARD FEATURES

- | | |
|-------------------------------------|--------------------------|
| 1.- Front tow bars | 9.- 4 lifting points |
| 2.- Bow lockers | 10.- Scupper deck drain |
| 3.- Inflation/Over inflation valves | 11.- Hull garboard drain |
| 4.- Non skid floor | 12.- Double rub strake |
| 5.- Tube handles | 13.- Tube lifelines |
| 6.- Dive patch port/starboard | 14.- Bow eye |
| 7.- Transom lifting eyes | 15.- Bow D-rings |
| 8.- Back tow bars | 16.- Keel plate |


STANDARD EQUIPMENT

VHF 25watt Radio
 T-Top 2" Aluminum Tube, Sunbrella cover (Black)
 Dual Battery Bank - Group 24 batteries w/isolator switch
 Stainless 3-Blade Propeller
 L.E.D. Navigation Lighting
 Hydraulic Steering
 Digital gauge display
 250hp Suzuki 4-stroke (Lean Burn) Stainless propeller


OPTIONAL EQUIPMENT

Seating - Suspension crew seats
 Front and rear tow bars
 Lowrance - GPS / Chartplotter / Fishfinder Combo
 Cree flood light package
 Police / EMS strobe light package
 Twin engine setup (Please consult about details)
 Aluminum dual axle trailer - Heavy Duty


Optional seating arrangement - Fixed bench seating



Optional seating arrangement - Jockey Seating



Optional seating arrangement - Jockey PRO



Optional seating arrangement - Jockey Seating

